

FJEDRE



GALLIERIO SRL

Via A. Boito, 142
41019 Soliera -MO-Italy
Tel. 059/567682
Fax 059/567440

Series	ø	Item Nr.	Springs	Features
2V - frontal attachment				
F.C	200	4.070.001	5.355.003	30x1,5x4500
	270	4.070.002	5.355.034	30x1,65x8000
	300	4.070.003	5.355.034	30x1,65x8000
	325	4.070.004	5.355.006	30x1,65x10000
	385	4.070.005	5.355.006	30x1,65x10000
F.M	325	4.071.001	5.355.006	30x1,65x10000
	385	4.071.002	5.355.006	30x1,65x10000
	400	4.071.003	5.355.006	30x1,65x10000
	420	4.071.004	5.355.006	30x1,65x10000
	470	4.071.005	5.355.006	30x1,65x10000
F.L	470	4.072.001	5.355.031	40x1,8x18000
	500	4.072.002	5.355.031	40x1,8x18000
	530	4.072.003	5.355.031	40x1,8x18000
	560	4.072.004	5.355.031	40x1,8x18000
	625	4.072.005	5.355.031	40x1,8x18000
	715	4.072.006	5.355.031	40x1,8x18000
	790	4.072.007		
2V - radial attachment				
R.C	200	4.073.001	5.355.003	30x1,5x4500
	270	4.073.002	5.355.034	30x1,65x8000
	300	4.073.003	5.355.034	30x1,65x8000
	325	4.073.004	5.355.006	30x1,65x10000
	385	4.073.005	5.355.006	30x1,65x10000
R.M	325	4.074.001	5.355.006	30x1,65x10000
	385	4.074.002	5.355.006	30x1,65x10000
	400	4.074.003	5.355.006	30x1,65x10000
	420	4.074.004	5.355.006	30x1,65x10000
	470	4.074.005	5.355.006	30x1,65x10000
R.L	470	4.075.001	5.355.031	40x1,8x18000
	500	4.075.002	5.355.031	40x1,8x18000
	530	4.075.003	5.355.031	40x1,8x18000
	560	4.075.004	5.355.031	40x1,8x18000
	625	4.075.005	5.355.031	40x1,8x18000
	715	4.075.006	5.355.031	40x1,8x18000
L MEDIUM	470	4.076.001	5.355.022	45x1,8x22000
	500	4.076.002	5.355.022	45x1,8x22000
	530	4.076.003	5.355.022	45x1,8x22000
	560	4.076.004	5.355.022	45x1,8x22000
	625	4.076.005	5.355.022	45x1,8x22000
	715	4.076.006	5.355.022	45x1,8x22000
	790	4.076.007	5.355.022	45x1,8x22000
L STRONG	470	4.102.001	5.355.023	50x1,8x22000
	500	4.102.002	5.355.023	50x1,8x22000
	530	4.102.003	5.355.023	50x1,8x22000

	560	4.102.004	5.355.023	50x1,8x22000
	625	4.102.005	5.355.023	50x1,8x22000
	715	4.102.006	5.355.023	50x1,8x22000
	790	4.102.007	5.355.023	50x1,8x22000
3/4"	470	4.077.001	5.355.029	50x2x15000
	500	4.077.002	5.355.029	50x2x15000
	530	4.077.003	5.355.029	50x2x15000
	560	4.077.004	5.355.029	50x2x15000
	625	4.077.005	5.355.029	50x2x15000
	715	4.077.006	5.355.029	50x2x15000
	790	4.077.007	5.355.029	50x2x15000
R.L. RIN	470	4.113.001	5.355.044	40x2x18000
	500	4.113.002	5.355.044	40x2x18000
	530	4.113.003	5.355.044	40x2x18000
	560	4.113.004	5.355.044	40x2x18000
	625	4.113.005	5.355.044	40x2x18000
	715	4.113.006	5.355.044	40x2x18000
	790	4.113.007	5.355.044	40x2x18000

Series	∅	Item Nr.	Springs	Features
3V - frontal attachment				
F.M	325	4.078.001	5.355.006	30x1,65x10000
	385	4.078.002	5.355.006	30x1,65x10000
	400	4.078.003	5.355.006	30x1,65x10000
	420	4.078.004	5.355.006	30x1,65x10000
	470	4.078.005	5.355.006	30x1,65x10000
	500	4.078.006	5.355.036	30x1,45x17000
3V - radial attachment				
R.C	200	4.088.001	5.355.003	30x1,5x4500
	270	4.088.002	5.355.034	30x1,65x8000
	300	4.088.003	5.355.034	30x1,65x8000
	325	4.088.004	5.355.006	30x1,65x10000
	385	4.088.005	5.355.006	30x1,65x10000
R.M	325	4.064.001	5.355.006	30x1,65x10000
	385	4.064.002	5.355.006	30x1,65x10000
	400	4.064.003	5.355.006	30x1,65x10000
	420	4.064.004	5.355.006	30x1,65x10000
	470	4.064.005	5.355.006	30x1,65x10000
	500	4.064.006	5.355.036	30x1,45x17000
R.L.	325	4.079.001	5.355.006	30x1,65x10000
	385	4.079.002	5.355.006	30x1,65x10000
	400	4.079.003	5.355.006	30x1,65x10000
	420	4.079.004	5.355.035	50x2x11000
	470	4.079.005	5.355.035	50x2x11000
	500	4.079.006	5.355.029	50x2x15000
	530	4.079.007	5.355.029	50x2x15000
	560	4.079.008	5.355.030	50x2x20000
	625	4.079.009	5.355.030	50x2x20000
	715	4.079.010	5.355.030	50x2x20000

Series	∅	Item Nr.	Springs	Features
4V - radial attachment				
R.C	200	4.080.001	5.355.003	30x1,5x4500
	270	4.080.002	5.355.034	30x1,65x8000
	300	4.080.003	5.355.034	30x1,65x8000
	325	4.080.004	5.355.006	30x1,65x10000
	385	4.080.005	5.355.006	30x1,65x10000

R.L.	470	4.081.000	5.355.029	50x2x15000
	325	4.081.001	5.355.035	50x2x11000
	385	4.081.002	5.355.035	50x2x11000
	400	4.081.003	5.355.035	50x2x11000
	420	4.081.004	5.355.035	50x2x11000
	470	4.081.005	5.355.035	50x2x11000
	500	4.081.006	5.355.029	50x2x15000
	530	4.081.007	5.355.029	50x2x15000
	560	4.081.008	5.355.030	50x2x20000
	625	4.081.009	5.355.030	50x2x20000

Series	ø	Item Nr.	Springs	Features
2+2V - radial attachment				
R.C	325	4.082.001	5.355.006	30x1,65x10000
	385	4.082.002	5.355.006	30x1,65x10000
	400	4.082.003	5.355.006	30x1,65x10000
	420	4.082.004	5.355.006	30x1,65x10000
	470	4.082.005	5.355.006	30x1,65x10000
R.COMPAC	470	4.083.000	5.355.031	40x1,8x18000
	500	4.083.001	5.355.031	40x1,8x18000
	530	4.083.002	5.355.031	40x1,8x18000
	560	4.083.003	5.355.031	40x1,8x18000
	625	4.083.004	5.355.031	40x1,8x18000
	715	4.083.005	5.355.031	40x1,8x18000
R.M	470	4.084.000	5.355.022	45x1,8x22000
	500	4.084.001	5.355.022	45x1,8x22000
	530	4.084.002	5.355.022	45x1,8x22000
	560	4.084.003	5.355.022	45x1,8x22000
	625	4.084.004	5.355.022	45x1,8x22000
	715	4.084.005	5.355.022	45x1,8x22000
R.M STRON	470	4.103.000	5.355.023	50x1,8x22000
	500	4.103.001	5.355.023	50x1,8x22000
	530	4.103.002	5.355.023	50x1,8x22000
	560	4.103.003	5.355.023	50x1,8x22000
	625	4.103.004	5.355.023	50x1,8x22000
	715	4.103.005	5.355.023	50x1,8x22000
R.L	470	4.085.000	5.355.023	50x1,8x22000
	500	4.085.001	5.355.023	50x1,8x22000
	530	4.085.002	5.355.023	50x1,8x22000
	560	4.085.003	5.355.023	50x1,8x22000
	625	4.085.004	5.355.023	50x1,8x22000
	715	4.085.005	5.355.023	50x1,8x22000
	790	4.085.006	5.355.023	50x1,8x22000

Series	ø	Item Nr.	Springs	Features
5V - radial attachment				
	325	4.086.001	5.355.035	50x2x11000
	385	4.086.002	5.355.035	50x2x11000
	400	4.086.003	5.355.035	50x2x11000
	420	4.086.004	5.355.035	50x2x11000
	470	4.086.005	5.355.035	50x2x11000
	500	4.086.006	5.355.029	50x2x15000
	530	4.086.007	5.355.029	50x2x15000
	560	4.086.008	5.355.030	50x2x20000
	625	4.086.009	5.355.030	50x2x20000
3+2V - radial attachment, independent casings				

	470	4.087.000		
	500	4.087.001		
	530	4.087.002		
	560	4.087.003		
	625	4.087.004		
	715	4.087.005		
	790	4.087.006		